EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
.1	3385	activat\$3 with message with (second\$3 or back up or retundan\$3 or fault toleran\$3)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
2	535	L1 and (deactivat\$3 with message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
3	410	L2 and (select\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
4	187	L3 and (deactivat\$3 with message with (second\$3 or back up or retundan\$3))	US-PGPUB; USPAT; USOCR; FPRS, EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
5	34	L4 and ((detect\$3 or find\$3 or determin\$3) with (fail\$3 or fault\$3))	US-PGPUB; USPAT; USOCR; FPRS, EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
6	2403	L1 and network	US PGPUB; USPAT; USOCR; FPRS, EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00

L7	1	L6 and (message with deactivat\$3 with (secondary path))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
L8	2	"20040076151"	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
L9	1	L8 and (deactivate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
_10	1	L6 and (message with deactivat\$3 with (secondary path or alternate path or standby path or backup path))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
.11	18	L6 and ((disabl\$3 or deactivat\$3) (secondary or alternate or backup or standby))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
.12	24	L3 and (deactivat\$3 with message with (second\$3 or back up or retundan\$3)with (path or link or connection))	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
.13	2	"6311288".pn.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
.14	2	"20030112821"	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00

L15	2	"6163526",pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
.16	1	L15 and ((SDH or sychronous digital hierarchy))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
.17	2	"20030112821"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
.18	11380	370/345,468,225,226,227,228,216,217,221,222,223,224,535,539,541,220,218.CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
19	622	L18 and (network and (traffic or data or input) with selector\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
20	288	L19 and ((primary or first or fundamental or old) with (path or connection or circui))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
21	273	L20 and ((second\$3 or new or backup or standby or retundan\$3 or substitute or alternate) with (path\$2 or connection\$2 or rout\$2 or circuit\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
22	14	L20 and ((second\$3 or new or backup or standby or retundan\$3 or substitute or alternate) with (path\$2 or connection\$2 or rout\$2 or circuit\$2) with (deactivate or disable or inable or stop))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00

L23	22	L20 and ((second\$3 or new or backup or standby or retundan\$3 or substitute or alternate) with (path\$2 or connection\$2 or rout\$2 or circuit\$2)same (deactivate or disable or inable or stop))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
24	428	(traffict or data)selector\$2 with (primary or first) with (second\$3 or alternate or standby or backup).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
25	0	L24 and (secondary with deactivation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
26	50	L24 and (secondary)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
27	119	L24 and (secondary or alternate or standby or backup.clm.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
28	66	Caviglia.inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
29	1	L28 and ((traffic or data) selector.clm.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
30	2503	revert with (activat\$3 or initiat\$3 or deactivat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00

.31	155	L30 and (activat\$3 with (second\$4 or back up or retundant) with (path or route or link or circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
32	2503	revert with (activat\$3 or initiat\$3 or deactivat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
33	155	L32 and (activat\$3 with (second\$4 or back up or retundant) with (path or route or link or circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
34	99	L33 and (deactivat\$3 or inactivat\$3)	US-PGPUB; USPAT; USOCR; FPRS, EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
35	4	1.33 and ((deactivat\$3 or inactivat\$3)with (seondary or standby or retundant or backup))	US-PGPUB; USPAT; USOOR; FPRS, EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
36	1	L33 and (revertrequest message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
37	1	(L33 and (revert request message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
38	2	"6163526".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00

L39	2	"7124350".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
.40	2	"6542934".pn.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
.41	2	L38 and switch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
.42	1	L38 and (switch near25 control unit)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
43	1	L40 and (deactivate)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 15:00
i	3120	activat\$3 with message with (second\$3 or back up or retundan\$3 or fault toleran\$3)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/10 15:36
2	490	S1 and (deactivat\$3 with message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/10 15:37
3	377	S2 and (select\$4)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/10 15:38

S4	170	S3 and (deactivat\$3 with message with (second\$3 or back up or retundan\$3))	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/10 15:39
 35	32	S4 and ((detect\$3 or find\$3 or determin\$3) with (fail\$3 or fault\$3))	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/10 15:40
36	2183	S1 and network	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/10 16:08
57	1	S6 and (message with deactivat\$3 with (secondary path))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/10 16:08
8	2	"20040076151"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/10 16:10
 9	1	S3 and (deactivate)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/10 16:10
310	1	\$6 and (message with deactivat\$3 with (secondary path or alternate path or standby path or backup path))	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/10 16:12
312	14	\$6 and ((disabl\$3 or deactivat\$3) (secondary or alternate or backup or standby))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/10 16:15

S13	21	S3 and (deactivat\$3 with message with (second\$3 or back up or retundan\$3)with (path or link or connection))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/10 16:27
316	2	"6311288".pn.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/10 17:16
\$17	2	"20030112821"	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/12 14:09
319	2	"6163526",pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/12 14:10
20	1	S19 and ((SDH or sychronous digital hierarchy))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/12 14:11
2 2	2	"20030112821"	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/12 14:47
 23	10634	370/345,468,225,226,227,228,216,217,221,222,223,224,535,539,541,220,218.CQLS.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/14 18:12
2 4	599	S23 and (network and (traffic or data or input) with selector\$2)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/14 18:13

\$25	280	S24 and ((primary or first or fundamental or old) with (path or connection or circui))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/14 18:14
2 6	265	\$25 and ((second\$3 or new or backup or standby or retundan\$3 or substitute or alternate) with (path\$2 or connection\$2 or rout\$2 or circuit\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/14 18:15
2 7	14	\$25 and ((second\$3 or new or backup or standby or retundan\$3 or substitute or alternate) with (path\$2 or connection\$2 or rout\$2 or circuit\$2) with (deactivate or disable or inable or stop))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/14 18:16
28	22	\$25 and ((second\$3 or new or backup or standby or retundan\$3 or substitute or alternate) with (path\$2 or connection\$2 or rout\$2 or circuit\$2)same (deactivate or disable or inable or stop))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/14 18:17
30	413	(traffict or data)selector\$2 with (primary or first) with (second\$3 or alternate or standby or backup).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/14 18:19
 40	0	S30 and (secondary with deactivation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/14 18:23
41	49	S30 and (secondary)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/14 18:24
42	117	S30 and (secondary or alternate or standby or backup.clm.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/14 18:24

S44	65	Caviglia.inv.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/14 18:25
\$45	1	S44 and ((traffic or data) selector.clm.)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/14 18:25
S46	2503	revert with (activat\$3 or initiat\$3 or deactivat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 12:45
S47	155	S46 and (activat\$3 with (second\$4 or back up or retundant) with (path or route or link or circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 12:46
S48	2503	revert with (activat\$3 or initiat\$3 or deactivat\$3)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 12:50
549	155	S48 and (activat\$3 with (second\$4 or back up or retundant) with (path or route or link or circuit))	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 12:50
350°	99	S49 and (deactivat\$3 or inactivat\$3)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 12:50
351	4	S49 and ((deactivat\$3 or inactivat\$3)with (seondary or standby or retundant or backup))	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 12:51

S52	1	S49 and (revertrequest message)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 12:54
S53	1	S49 and (revert request message)	US-PGPUB; USPAT; USOOR; FPRS, EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 12:55
S54	2	"6163526".pn.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 12:55
S55	2	"7124350".pn.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 12:57
S56	2	"6542934".pn.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 12:57
S57	2	S54 and switch	US-PGPUB; USPAT; USOOR; FPRS, EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 13:13
S58	1	S54 and (switch near25 control unit)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 13:14
S59	1	S56 and (deactivate)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/03/13 13:45

3/13/2010 3:04:09 PM

 $\textbf{C:} \ \, \textbf{Documents and Settings!} \ \, \textbf{schoudhry!} \ \, \textbf{My Documents!} \ \, \textbf{EAST!} \ \, \textbf{Workspaces!} \ \, \textbf{10596347.wsp}$